



c|e|o[®]
CONTRACT

Beautiful, durable, sustainable and eco-forward

Meet Cleo® Contract, a truly innovative flooring construction that seamlessly combines engineered performance with stunning visual artistry. An eco-forward mineral composite core, high fidelity digital imaging and ultra clear protective coatings are just some of what make Cleo Contract an industry leader.


Cleo Contract is a patent protected technology that is:

- Free from PVC, plasticizers, phthalates and chloro-chemicals
- Made from 85% natural limestone that is domestically sourced
- 100% waterproof
- Printed digitally with solvent-free inks
- Minimal pattern repeats
- 100% solids high performance protective coating with ultra-low VOC
- Installation flexibility either edge-to-edge or fully grouted
- Manufactured in U.S.A.
- U.S. Patent #9725911B2

Cleo Contract is engineered to stand up to the most demanding commercial environments across healthcare, education, corporate and hospitality.



INTERSECTION 24" x 24"



CIT00, Iceberg



CIT12, Hush

INTERSECTION 24" x 24"



CIT26, Cashmere

DENIM 12" x 24"




CDM47, Blue Jean



CIT62, Corn Meal



CIT24, Thyme



CIT95, Flint



CDM94, Grey Wash

LINEA 12" x 24"



CLA13, Jute

TERRAZZO 24" x 24"



CTZ01, Italianianate

SOFT CONCRETE 24" x 24"



CSC24, Elemental



CSC97, Fusion



CLA92, Frostline



CTZ15, Appian Way



CSC63, New Almond

Concrete, a timeless basic, moves into softer material translations. Refined texturing, using subtle color and gloss elements, quietly transform this material into versatile looks for versatile applications.

#Refined #Versatile
#Soft #Basic

LIMESTONE 12" x 24"



CLM14, Natural



CLM97, Greystone

Stones have made a comeback. Limestone is nature's familiar, plentiful and richly textured resource. Its "of the earth" chromatic utility resonates with multiple design applications.

#Organic #Mineral
#Utility #Texture

LIMETEX 12" x 24"



CLT24, Silhouette



CLT43, Atmosphere



CLT95, Luxe

Organic Limestone and lofty woven textiles hybrid for a more pronounced, tactile design perspective. "sweater texture" for the floor.

#Tactile #Woven
#Hybrid #Sweater

EURO OAK 7" x 48"



CEO96, Graphite



CEO24, Latte

EURO OAK 7" x 48"



CEO15, Harmony



CEO74, Honey



CEO94, Morrel



CEO76, Cognac



CEO28, Barrista



CEO77, Etrusco

Pressed bits of
wood and stone
hybrid. Is it wood
or is it stone?
Monotone basics
to color filled
signature floor
layouts provide
versatility.

#Fusion #Flexible
#Stylized #Signature

STUDIO WOOD 7" x 48"



CSW12, Canvas



CSW25, Elk Horn



CSW24, Taupe



CSW93, Greige

MAPLE 7" x 48"



CMA11, Nordic Natural



CMA25, Chocolate Mist

Demand for lighter wood tones and graining emerges onto the design scene. Maple enjoys resurgence, as Scandinavian simplicity is familiar to minimalism in wood trends. Experimental chocolate tones bridge the new with the familiar.

#NordicMinimal #Pure
#Simplicity #Familiar

WEATHERED OAK 7" x 48"



CWO25, Lodge



CWO29, Bark

The rustic wood trend takes a refined turn. Although weathered, earthen color mixes with refined wood character to reflect the outdoors trend of "lodge glamping".

#Refined #Weathered
#LodgeGlamping #Outdoors

Building a beautiful and sustainable future



100%
WATERPROOF



VOC
FREE



PVC
FREE



85%
LIMESTONE



HIDEF
DIGITAL IMAGING

TECHNICAL SPECIFICATIONS

CONSTRUCTION Eco-Forward Omni Construction with Sequentially Applied Cross-Linked Coatings

WEAR SURFACE UltraCLEAR™ High Performance Low Gloss Protective Coating

DESIGN ChromaTRU™ Dimensional, High Fidelity Imaging

CORE Mineral Composite

NOMINAL OVERALL GAUGE 0.160" (4 mm)

Nominal plank size	7" x 48"	12" x 24"	24" x 24"
Edges	Micro Bevel	Micro Bevel	Micro Bevel
Coverage per carton	23.25 sq. ft. (2.16 m ²)	23.38 sq. ft. (2.17 m ²)	31.34 sq. ft. (2.91 m ²)
Weight per carton	41.2 lbs. (18.69 kg)	41.4 lbs. (18.78 kg)	55.5 lbs. (25.17 kg)

Warranty Coverage: 15 Year Commercial Limited Warranty

FloorScore Certified: Yes

LEED V4 EQ Credit - Low Emitting Materials: Contributes

LEED V4 EQ Credit - Low Emitting Materials - Adhesives: Contributes

National Green Building Standard ICC 700-2008 901.6 (Hard Surface Flooring): Contributes

US Patent: 9725911B2

RENEW IT Reclamation Program

Complete and current technical specifications at: cleoflooring.com/contract/sustainability



CLA92

PATENTED OMNI CONSTRUCTION



ECO FORWARD
CONSTRUCTION




100%
WATERPROOF



CUSTOM
MATCH TRIM



15-YEAR
WARRANTY



UltraCLEAR™
High Performance Protective Coating

- Easy Maintenance
- Unmatched Clarity
- Superior Wear
- 100% Solids
- Solvent-Free
- Ultra-Low VOC



ChromaTRU™
Solvent-Free Digital Printing

- Solvent Free Ink System
- Dimensional, High Fidelity Imaging
- Direct to Base



CulturedSTONE™
Mineral Composite Core

- 85% Limestone Composite
- ZERO: PVC, Plasticizers, Phthalates or Chloro-Chemicals
- Flexible
- 100% Waterproof



Proudly designed and manufactured
in the United States.





c.leo[®]
CONTRACT